

L Number	Hits	Search Text	DB	Time stamp
1	0	"handoff" and "mobile switching center" and "service type identifier" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:40
2	0	"handoff" and "mobile switching center" and "service configuration record" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:41
4	0	"handoff" and "mobile switching center" and "service type identifier" and "mobile station" and "base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:41
3	3	"handoff" and "mobile switching center" and "service configuration record" and "mobile station" and "base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:41
5	2	"handoff" and "mobile switching center" and "service configuration record" and "mobile station" and "source base station" and "target base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:42
8	70	"handoff" and "mobile switching center" and "signal strength" and "pilot signal" and "mobile station" and "base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:42
6	4	"handoff" and "mobile switching center" and "signal strength" and "pilot signal" and "mobile station" and "source base station" and "target base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:42
7	26	"handoff" and "mobile switching center" and "signal strength" and "pilot signal" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:43
9	1	"handoff" and "mobile switching center" and "packet zone identifier" and "mobile station" and "base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:43
10	1	"handoff" and "mobile switching center" and "signal strength" and "pilot signal strength measurement message" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:43

12	0	"handoff" and "mobile switching center" and "signal strength" and "pilot signal measurement message" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:43
13	0	"handoff" and "mobile switching center" and "signal strength" and "pilot signal strength measurement message" and "mobile station" and "source base station" and "target base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:44
14	3	"handoff" and "mobile switching center" and "signal strength" and "pilot strength measurement message" and "mobile station" and "source base station" and "target base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:44
11	17	"handoff" and "mobile switching center" and "signal strength" and "pilot strength measurement message" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:44
15	17006	((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:40
16	0	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "service type identifier" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:41

17	0	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "service configuration record" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:41
18	0	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "service type identifier" and "mobile station" and "base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:41
19	2	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "service configuration record" and "mobile station" and "base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:42

20	2	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "service configuration record" and "mobile station" and "source base station" and "target base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:42
21	54	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "signal strength" and "pilot signal" and "mobile station" and "base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:42
22	3	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "signal strength" and "pilot signal" and "mobile station" and "source base station" and "target base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:43

23	23	<p>(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147))).CCLS.) and "handoff" and "mobile switching center" and "signal strength" and "pilot signal" and "mobile station" and "first base station" and "second base station" and @ad<20000412</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/10/13 14:43</p>
24	1	<p>(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147))).CCLS.) and "handoff" and "mobile switching center" and "packet zone identifier" and "mobile station" and "base station" and @ad<20000412</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/10/13 14:43</p>

25	1	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "signal strength" and "pilot signal strength measurement message" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:43
26	0	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "signal strength" and "pilot signal measurement message" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:44

27	0	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "signal strength" and "pilot signal strength measurement message" and "mobile station" and "source base station" and "target base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:44
28	3	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "signal strength" and "pilot strength measurement message" and "mobile station" and "source base station" and "target base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:44

29	16	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "signal strength" and "pilot strength measurement message" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:44
30	168	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "first base station" and "second base station"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:44
31	109	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:45

32	35	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "hand off" and "mobile switching center" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:45
33	93	(((370/331) or (370/332) or (370/320) or (370/321) or (370/329) or (370/335) or (370/336) or (370/342) or (370/441) or (370/493) or (370/494) or (370/495) or (370/328) or (370/330) or (370/344) or (370/500) or (370/479) or (455/436) or (455/437) or (455/439) or (455/443) or (455/67.1) or (455/450) or (455/560) or (455/561) or (455/438) or (455/524) or (455/525) or (455/517) or (455/403) or (455/425) or (379/130) or (379/133) or (379/220) or (379/135) or (379/136) or (379/141) or (379/146) or (379/147)).CCLS.) and "handoff" and "mobile switching center" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:46
-	258	"handoff" and "mobile switching center" and "first base station" and "second base station"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:44
-	156	"handoff" and "mobile switching center" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:45
-	57	"hand off" and "mobile switching center" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:45
-	119	"handoff" and "mobile switching center" and "mobile station" and "first base station" and "second base station" and @ad<20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 14:46